

GCSE MATHEMATICS (9-1) — EXAM PRACTICE WORKBOOK

Grade 9 Mathematics — Practice Questions

(Higher Tier)

Higher Tier Exam Practice, Calculator Tags, 2 Mixed Review Papers & Full Answer Key

- 6 Edexcel Higher Exam-Style Questions per topic with mark allocations
- Calculator & Non-Calculator Badges on every single question
- 2 Interleaved Mixed Review Sets (Paper 1 & Paper 2/3 method selection)
- Structured Working Spaces & Topic-Linked Answer Key Appendix

Student Name: _____

Class / Teacher: _____

Target Grade: _____



SCAN FOR ONLINE PRACTICE & WORKED SOLUTIONS

BreakingDownMaths.com

Interactive Step-by-Step GCSE Mathematics Mastery

Table of Contents

Click any topic to jump straight there. Complete both Mixed Review Sets before checking the Answer Key Appendix.

ALGEBRA

Algebraic Proof	Page 3	Equation of a Circle	Page 5
-----------------	--------	----------------------	--------

RATIO, PROPORTION AND RATES OF CHANGE

Gradients & Rates of Change	Page 7
-----------------------------	--------

GEOMETRY AND MEASURES

Vector Proofs	Page 11
---------------	---------

PROBABILITY

Probability Equations	Page 14
-----------------------	---------

MIXED EXAM REVIEW (PICK THE RIGHT METHOD)

Mixed Review 1 (Non-Calculator)	Page 17	Mixed Review 2 (Calculator)	Page 23
Appendix (Answers)	Page 30		

Algebraic Proof

EDEXCEL GCSE EXAM PRACTICE

Total: 19 marks

Algebraic Proof — Practice Questions

Check the Calculator or Non-Calculator label on each question before you start. Show your working clearly in the box.

Question 1 ☒ Non-Calculator

(3 marks)

Prove algebraically that the sum of the squares of any two consecutive even integers is always a multiple of 4.

WORKING & PROOF SPACE

Question 2 ☒ Non-Calculator

(3 marks)

Prove algebraically that the difference between the squares of any two consecutive odd integers is always a multiple of 8.

WORKING & PROOF SPACE

Question 3 ☒ Non-Calculator

(3 marks)

Prove algebraically that the sum of the squares of any two consecutive integers is always an odd number.

WORKING & PROOF SPACE

Question 4 ☒ Non-Calculator

(3 marks)

Prove algebraically that $(5n + 3)^2 - (5n - 3)^2$ is always a multiple of 60 for all positive integer values of n .

WORKING & PROOF SPACE

Question 5 **Non-Calculator****(3 marks)**

Prove algebraically that $(n + 5)(n - 1) + 9$ is always a square number for all integer values of n .

WORKING & PROOF SPACE

Question 6 **Non-Calculator****(4 marks)**

Prove algebraically that the square of any odd integer is always 1 more than a multiple of 8.

WORKING & PROOF SPACE

ALGEBRA — COORDINATE GEOMETRY

Equation of a Circle

EDEXCEL GCSE EXAM PRACTICE

Total: 17 marks

Equation of a Circle — Practice Questions

Check the Calculator or Non-Calculator label on each question before you start. Show your working clearly in the box.

Question 1 **Non-Calculator****(1 mark)**

A circle has the equation $x^2 + y^2 = 225$.
Find the radius of the circle.

WORKING OUT SPACE

Answer:

Question 2 **Calculator****(2 marks)**

A circle has the equation $x^2 + y^2 = 289$.
Prove that the point $(-8, 15)$ lies on the circle.

WORKING & PROOF SPACE

Question 3 **Non-Calculator****(2 marks)**

A circle has the equation $x^2 + y^2 = 225$.
Calculate the exact area of the circle in terms of π .

WORKING OUT SPACE

Answer:

Question 4 **Non-Calculator****(3 marks)**

The point $P(4, k)$, where $k > 0$, lies on the circle with equation $x^2 + y^2 = 52$.

- (a) Find the value of k .
(b) Work out the gradient of the radius OP .

WORKING OUT SPACE

(a) $k =$ (b) Gradient =

Question 5 **Calculator****(4 marks)**

A circle has the equation $x^2 + y^2 = 289$.

Find the equation of the tangent to the circle at the point $(8, 15)$.

WORKING OUT SPACE

Answer:

Question 6 **Calculator****(5 marks)**

A circle has the equation $x^2 + y^2 = 169$.

The tangent to the circle at the point $(5, 12)$ meets the y -axis at the point A and the x -axis at the point B .

- (a) Find the equation of the tangent in the form $y = mx + c$.
(b) Work out the exact area of triangle OAB , where O is the origin.

WORKING OUT SPACE


(a) (b) Area =

Gradients & Rates of Change

EDEXCEL GCSE EXAM PRACTICE**Total: 16 marks**

Gradients & Rates of Change — Practice Questions

Check the Calculator or Non-Calculator label on each question before you start. Show your working clearly in the box.

Question 1 ☒ **Non-Calculator****(2 marks)**

The curved distance-time graph shows the distance travelled by a cyclist. A tangent to the curve has been drawn at $t = 3$ s, passing through $(1, 10)$ and $(5, 26)$.

Work out the **instantaneous speed** of the cyclist at $t = 3$ s in m/s.


WORKING OUT SPACE

Answer:

Question 2

Calculator

(2 marks)



The velocity-time graph shows a vehicle slowing down. A tangent to the curve is drawn at $t = 6$ s, passing through (4, 37) and (8, 23).

Calculate the **rate of deceleration** (as a positive value) at $t = 6$ s in m/s^2 .


WORKING OUT SPACE

Answer:

Question 3

Non-Calculator

(2 marks)



The curved velocity-time graph shows the motion of a car. A tangent to the curve has been drawn at $t = 4$ s, passing through (2, 14) and (6, 34).

Calculate the **instantaneous acceleration** of the car at $t = 4$ s in m/s^2 .


WORKING OUT SPACE

Answer:

Question 4

Calculator

(3 marks)



The velocity-time graph shows the motion of an object over 8 seconds. The area under the curve has been divided into **4 strips of equal width** ($h = 2$ s).

Use the **trapezium rule** to work out an estimate for the total distance travelled in the 8 seconds in metres.


WORKING OUT SPACE

Answer:

Question 5

Calculator

(3 marks)




The velocity-time graph shows the motion of a train over 15 seconds. The area under the curve has been divided into **3 strips of equal width** ($h = 5$ s).

Use the **trapezium rule** to work out an estimate for the **average speed** of the train over the 15 seconds in m/s.

WORKING OUT SPACE

Answer:

Question 6 Non-Calculator**(4 marks)**

The velocity-time graph shows a speedboat accelerating from an initial velocity of 4 m/s over 6 seconds. The area under the curve has been divided into **3 trapezium strips of equal width** ($h = 2 \text{ s}$).

- (a) Work out an estimate for the distance travelled by the speedboat in the 6 seconds in metres.
- (b) State whether your answer to part (a) is an underestimate or an overestimate of the actual distance travelled. Give a reason for your answer.

WORKING OUT SPACE

(a) m

(b) Reason:

GEOMETRY AND MEASURES — TRANSFORMATIONS & VECTORS

Vector Proofs

EDEXCEL GCSE EXAM PRACTICE

Total: 26 marks


Vector Proofs — Practice Questions

Check the Calculator or Non-Calculator label on each question before you start. Show your working clearly in the box.

Question 1 ☒ Non-Calculator

(4 marks)

In the diagram, OAB is a triangle with $\vec{OA} = 18\mathbf{a}$ and $\vec{OB} = 6\mathbf{b}$.
 C is the midpoint of OA , and P is the point on CB such that $CP : PB = 1 : 2$.
 Find $\vec{OP}$ in terms of $\mathbf{a}$ and $\mathbf{b}$ in its simplest form.




WORKING OUT SPACE

Answer:

Question 2 ☒ Non-Calculator

(4 marks)

In the diagram, OAB is a triangle with $\vec{OA} = 2\mathbf{a}$ and $\vec{OB} = 5\mathbf{b}$.
 P is the point on AB such that $AP : PB = 3 : 2$.
 Given that $\vec{OP} = k(4\mathbf{a} + 15\mathbf{b})$, find the value of k .



WORKING OUT SPACE

 $k =$

Question 3 Non-Calculator**(5 marks)**


In the diagram, OAB is a triangle with $\vec{OA} = 6\mathbf{a}$ and $\vec{OB} = 4\mathbf{b}$.

C is the point on OA such that $OC : CA = 2 : 1$.

M is the midpoint of AB .

D is the point on OB extended such that $OB : BD = 1 : 1$.

Prove that C , M , and D lie on a straight line.



WORKING & PROOF SPACE


Question 4 Non-Calculator**(4 marks)**

The diagram shows a parallelogram $OACB$ with $\vec{OA} = 6\mathbf{a}$ and $\vec{OB} = 6\mathbf{b}$.

D is the point on OC such that $OD : DC = 2 : 1$.

E is the midpoint of BC .

Prove that A , D , and E lie on a straight line.



WORKING & PROOF SPACE


Question 5 Non-Calculator**(4 marks)**

The diagram shows a parallelogram $OACB$ with $\vec{OA} = 2\mathbf{a}$ and $\vec{OB} = 3\mathbf{b}$.

D is the point on OC such that $OD : DC = 3 : 1$.

E is a point on AC such that B , D , and E lie on a straight line.

Find the ratio $AE : EC$ in its simplest form.



WORKING OUT SPACE

Answer:

Question 6 Calculator**(5 marks)**


In the diagram, OAB is a triangle with $\vec{OA} = 10\mathbf{a}$ and $\vec{OB} = 25\mathbf{b}$.

C is the point on OA such that $OC : CA = 1 : 1$.

D is the point on AB such that $AD : DB = 3 : 2$.

The line OB is extended to a point E such that C , D , and E lie on a straight line.

Find the vector $\vec{BE}$ in terms of $\mathbf{b}$.



WORKING OUT SPACE

Answer:

Probability Equations

EDEXCEL GCSE EXAM PRACTICE

Total: 19 marks

Probability Equations — Practice Questions

Check the Calculator or Non-Calculator label on each question before you start. Show your working clearly in the box.

Question 1 **Non-Calculator****(3 marks)**

There are only red counters and yellow counters in a bag in the ratio 2 : 3.

Two counters are taken at random from the bag without replacement.

The probability that both counters are red is $\frac{2}{15}$.

Work out the total number of counters in the bag before any were removed.

WORKING OUT SPACE

Answer:

Question 2 **Calculator****(4 marks)**

There are only blue counters, green counters and white counters in a bag.

There are 3 times as many blue counters as green counters.

There are 4 white counters.

Two counters are taken at random from the bag without replacement.

The probability that both counters are green is $\frac{1}{40}$.

Work out the number of **blue** counters in the bag.

WORKING OUT SPACE

Answer:

Question 3 **Non-Calculator****(3 marks)**

A bag contains 6 green counters and y white counters.

A counter is taken at random from the bag, its colour is noted, and it is **replaced** in the bag.
A second counter is then taken at random.

The probability that the first counter is green and the second counter is white is $\frac{2}{9}$.

Given that $y > 6$, work out the value of y .

WORKING OUT SPACE

Answer:**Question 4** **Non-Calculator****(3 marks)**

A bag contains x green marbles and $(x + 3)$ purple marbles.

Two marbles are taken at random from the bag without replacement.

The probability that both marbles are green is $\frac{5}{39}$.

Work out the value of x .

WORKING OUT SPACE

Answer:

Question 5 **Calculator****(3 marks)**

There are n counters in a bag.

6 of the counters are red and the rest are blue.

Two counters are taken at random from the bag without replacement.

The probability that both counters are the **same colour** is $\frac{1}{2}$.

Given that more than half of the counters in the bag are blue, work out the value of n .

WORKING OUT SPACE

Answer:**Question 6** **Calculator****(3 marks)**

A box contains 4 black pens and x blue pens.

Two pens are taken at random from the box without replacement.

The probability that one pen of each colour is taken is $\frac{8}{15}$.

Given that $x > 4$, work out the value of x .

WORKING OUT SPACE

Answer:

Mixed Review 1 — Choosing the Right Method (Non-Calculator)

Total: 43 marks

These 15 unseen Grade 9 questions are mixed across topics with no topic headings — just like a real Edexcel Paper 1 exam. Identify the underlying method first, set out full algebraic or geometric working, and give exact simplified answers.

Question 1 Non-Calculator

(3 marks)

A circle has the equation $x^2 + y^2 = 225$.

Calculate the exact circumference of the circle in terms of π .

WORKING OUT SPACE

Answer:

Question 2 Non-Calculator

(3 marks)

Prove algebraically that $(n + 3)^2 - (n - 2)^2$ is always a multiple of 5 for all integer values of n .

WORKING & PROOF SPACE


Question 3 Non-Calculator

(4 marks)

In the diagram, OAB is a triangle with $\vec{OA} = 12\mathbf{a}$ and $\vec{OB} = 3\mathbf{b}$.

P is the point on AB such that $AP : PB = 1 : 2$.

Find $\vec{OP}$ in terms of $\mathbf{a}$ and $\mathbf{b}$ in its simplest form.



WORKING OUT SPACE

Answer:

Question 4 ✎ Non-Calculator**(2 marks)**

A tin contains green and orange sweets in the ratio 3 : 2.


Two sweets are taken at random from the tin without replacement.

The probability that both sweets are orange is $\frac{1}{7}$.

Work out the total number of sweets in the tin before any were removed.

WORKING OUT SPACE

Answer:

Question 5 ✎ Non-Calculator**(2 marks)**

The velocity-time graph shows a vehicle slowing down. A tangent to the curve is drawn at $t = 2$ s, passing through (1, 16) and (3, 8).

Calculate the **rate of deceleration** (as a positive value) at $t = 2$ s in m/s^2 .

WORKING OUT SPACE

Answer:

Question 6 ✎ Non-Calculator**(2 marks)**

A circle has the equation $x^2 + y^2 = 225$.

Prove that the point (9, -12) lies on the circle.

WORKING & PROOF SPACE

Question 7 ✎ Non-Calculator**(2 marks)**

Prove algebraically that $(3n + 2)^2 - (3n - 2)^2$ is always a multiple of 24 for all positive integer values of n .

WORKING & PROOF SPACE

Question 8 ✎ Non-Calculator**(2 marks)**

A jar contains 5 purple beads and y silver beads.

A bead is taken at random from the jar, its colour is noted, and it is **replaced** in the jar.


A second bead is then taken at random.

The probability that both beads are purple is $\frac{25}{144}$.

Work out the value of y .

WORKING OUT SPACE

Answer:

Question 9 ✎ Non-Calculator**(2 marks)**

The curved distance-time graph shows the distance travelled by a cyclist. A tangent to the curve has been drawn at $t = 3$ s, passing through $(1, 12)$ and $(5, 36)$.


Work out the **instantaneous speed** of the cyclist at $t = 3$ s in m/s.

WORKING OUT SPACE

Answer:

Question 10 ✎ Non-Calculator**(4 marks)**

The diagram shows a parallelogram $OACB$ with $\vec{OA} = 2\mathbf{a}$ and $\vec{OB} = 4\mathbf{b}$.
 D is the point on OC such that $OD : DC = 3 : 2$.
 E is a point on BC such that A , D , and E lie on a straight line.
 Find the ratio $BE : EC$ in its simplest form.



WORKING OUT SPACE

Answer:

Question 11 ✎ Non-Calculator**(2 marks)**

Prove algebraically that the sum of the squares of any two consecutive odd integers leaves a remainder of 2 when divided by 8.

WORKING & PROOF SPACE

Question 12 ✎ Non-Calculator**(3 marks)**

A bag contains x red counters and $(x + 2)$ yellow counters.


Two counters are taken at random from the bag without replacement.

The probability that both counters are red is $\frac{2}{15}$.

Work out the value of x .

WORKING OUT SPACE

Answer:

Question 13 ✎ Non-Calculator**(3 marks)**

The velocity-time graph shows the motion of an object over 4 seconds. The area under the curve has been divided into **4 strips of equal width** ($h = 1$ s).

Use the **trapezium rule** to work out an estimate for the total distance travelled in the 4 seconds in metres.

WORKING OUT SPACE

Answer:

Question 14 ✎ Non-Calculator**(4 marks)**

A circle has the equation $x^2 + y^2 = 100$.

Find the equation of the tangent to the circle at the point $(-6, 8)$.

WORKING OUT SPACE

Answer:

Question 15 ✎ Non-Calculator**(5 marks)**


In the diagram, OAB is a triangle with $\vec{OA} = 12\mathbf{a}$ and $\vec{OB} = 4\mathbf{b}$.

C is the point on OA such that $OC : CA = 1 : 2$.

D is the point on AB such that $AD : DB = 3 : 1$.

The line OB is extended to a point E such that C , D , and E lie on a straight line.

Find the vector $\vec{BE}$ in terms of $\mathbf{b}$.



WORKING OUT SPACE

Answer:

Mixed Review 2 — Choosing the Right Method (Calculator)**Total: 46 marks**

These 15 unseen Grade 9 questions are interleaved across topics to test method selection under Paper 2/3 conditions. Write down every equation, substitution, or area calculation clearly before rounding your final answer.

Question 1 **Calculator****(1 mark)**

A circular radar boundary is modelled by $x^2 + y^2 = 361$.
What is the radius of the boundary in km?

WORKING OUT SPACE

Answer:**Question 2** **Calculator****(3 marks)**

There are n counters in a bag.
6 of the counters are white and the rest are blue.

Two counters are taken at random from the bag without replacement.

The probability that both counters are white is $\frac{3}{38}$.

Work out the value of n .


WORKING OUT SPACE

Answer:

Question 3

 Calculator

(2 marks)



The velocity-time graph shows a vehicle slowing down. A tangent to the curve is drawn at $t = 6$ s, passing through (4, 74) and (8, 46).

Calculate the **rate of deceleration** (as a positive value) at $t = 6$ s in m/s^2 .

WORKING OUT SPACE

Answer:

Question 4

 Calculator

(2 marks)

Prove algebraically that the sum of $n(n + 1)$ and $n + 1$ is always a square number.


WORKING & PROOF SPACE

Question 5 **Calculator****(4 marks)**

In the diagram, OAB is a triangle with $\vec{OA} = 30\mathbf{a}$ and $\vec{OB} = 12\mathbf{b}$.

C is the midpoint of OA , and P is the point on CB such that $CP : PB = 1 : 2$.

Find $\vec{OP}$ in terms of $\mathbf{a}$ and $\mathbf{b}$ in its simplest form.



WORKING OUT SPACE

Answer:


Question 6 **Calculator****(4 marks)**

A circle has the equation $x^2 + y^2 = 169$.

Find the equation of the tangent to the circle at the point $(-5, 12)$.

WORKING OUT SPACE

Answer:

Question 7 **Calculator****(3 marks)**

The velocity-time graph shows the motion of an object over 9 seconds. The area under the curve has been divided into **3 strips of equal width** ($h = 3$ s).

Use the **trapezium rule** to work out an estimate for the total distance travelled in the 9 seconds in metres.

WORKING OUT SPACE

Answer:

Question 8 **Calculator****(3 marks)**

There are only red counters, yellow counters and black counters in a bag.
 There are **2** times as many red counters as yellow counters.
 There are **3** black counters.

Two counters are taken at random from the bag without replacement.

The probability that both counters are yellow is $\frac{2}{35}$.

Work out the number of **red** counters in the bag.

WORKING OUT SPACE

Answer:

Question 9 **Calculator****(2 marks)**

Prove algebraically that $(5n + 5)^2 - (5n - 5)^2$ is always a multiple of 100 for all positive integer values of n .

WORKING & PROOF SPACE

Question 10

 Calculator

(5 marks)


In the diagram, OAB is a triangle with $\vec{OA} = 8\mathbf{a}$ and $\vec{OB} = 6\mathbf{b}$.

C is the point on OA such that $\vec{OC} = 6\mathbf{a}$.

M is the midpoint of AB .

D is the point on OB extended such that C , M , and D lie on a straight line.

Find the vector $\vec{OD}$ in terms of $\mathbf{b}$.




WORKING OUT SPACE

Answer:

Question 11

 Calculator

(3 marks)



The velocity-time graph shows the motion of an object over 12 seconds. The area under the curve has been divided into **3 strips of equal width** ($h = 4$ s).

Use the **trapezium rule** to work out an estimate for the total distance travelled in the 12 seconds in metres.

WORKING OUT SPACE

Answer:

Question 12 **Calculator****(2 marks)**

Prove algebraically that $(2n + 2)^2 + (2n + 4)^2$ is always a multiple of 4 for all integer values of n .

WORKING & PROOF SPACE

Question 13 **Calculator****(4 marks)**

A circle has the equation $x^2 + y^2 = 289$.

Find the equation of the tangent to the circle at the point $(15, -8)$.

WORKING OUT SPACE

Answer:**Question 14** **Calculator****(3 marks)**

A bag contains $(x + 1)$ red counters and $(2x - 1)$ yellow counters.

Two counters are taken at random from the bag without replacement.

The probability that the first counter is red and the second counter is yellow is $\frac{5}{18}$.

Work out the total number of counters in the bag before any were removed.

WORKING OUT SPACE

Answer:

Question 15

 Calculator

(5 marks)


In the diagram, OAB is a triangle with $\vec{OA} = 15\mathbf{a}$ and $\vec{OB} = 10\mathbf{b}$.

C is the point on OA such that $OC : CA = 1 : 2$.

D is the point on AB such that $AD : DB = 4 : 1$.

The line OB is extended to a point E such that C , D , and E lie on a straight line.

Find the vector $\vec{BE}$ in terms of $\mathbf{b}$.



WORKING OUT SPACE

Answer:

APPENDIX

Answers & Mark Schemes

Complete Edexcel Higher answers, required factorised algebraic forms, and Mixed Review topic guides.

Topic 1: Algebraic Proof

- Q1 (Non-Calc): $8n^2 + 8n + 4 = 4(2n^2 + 2n + 1)$ [3m]
- Q2 (Non-Calc): $8n + 8 = 8(n + 1)$ [3m]
- Q3 (Non-Calc): $2n^2 + 2n + 1 = 2(n^2 + n) + 1$ [3m]
- Q4 (Non-Calc): $60n$ (multiple of 60) [3m]
- Q5 (Non-Calc): $n^2 + 4n + 4 = (n + 2)^2$ [3m]
- Q6 (Non-Calc): $4n^2 + 4n + 1 = 4n(n + 1) + 1 = 8k + 1$ [4m]

Topic 2: Equation of a Circle

- Q1 (Non-Calc): 15 [1m]
- Q2 (Calc): $(-8)^2 + 15^2 = 64 + 225 = 289$ [2m]
- Q3 (Non-Calc): 225π [2m]
- Q4 (Non-Calc): **(a)** $k = 6$, **(b)** $\frac{3}{2}$ [3m]
- Q5 (Calc): $y = -\frac{8}{15}x + \frac{289}{15}$ [4m]
- Q6 (Calc): **(a)** $y = -\frac{5}{12}x + \frac{169}{12}$
(b) $\frac{28561}{120}$ [5m]

Topic 3: Gradients & Rates of Change

- Q1 (Non-Calc): 4 [2m]
- Q2 (Calc): 3.5 [2m]
- Q3 (Non-Calc): 5 [2m]
- Q4 (Calc): 89 [3m]
- Q5 (Calc): 8 [3m]
- Q6 (Non-Calc): **(a)** 68 m
(b) Underestimate (chords below curve) [4m]

Topic 4: Vector Proofs

- Q1 (Non-Calc): $6\mathbf{a} + 2\mathbf{b}$ [4m]
- Q2 (Non-Calc): $k = \frac{1}{5}$ [4m]
- Q3 (Non-Calc): $\overrightarrow{CD} = 4\overrightarrow{CM} = -4\mathbf{a} + 8\mathbf{b}$
(common point C) [5m]
- Q4 (Non-Calc): $\overrightarrow{AE} = \frac{3}{2}\overrightarrow{AD} = -3\mathbf{a} + 6\mathbf{b}$
(common point A) [4m]
- Q5 (Non-Calc): $2:1$ [4m]
- Q6 (Calc): $50\mathbf{b}$ [5m]

Topic 5: Probability Equations

- Q1 (Non-Calc): 10 [3m]
- Q2 (Calc): 9 [4m]
- Q3 (Non-Calc): 12 [3m]
- Q4 (Non-Calc): 5 [3m]
- Q5 (Calc): 16 [3m]
- Q6 (Calc): 6 [3m]

Mixed Review 1 — Choosing the Right Method (Non-Calculator) — Answers & Topic Guide

Q1 (Equation of a Circle, Non-Calc):	30π [3m]	Q2 (Algebraic Proof, Non-Calc):	$10n + 5 = 5(2n + 1)$ [3m]
Q3 (Vector Proofs, Non-Calc):	$8a + b$ [4m]	Q4 (Probability Equations, Non-Calc):	15 [2m]
Q5 (Gradients & Rates, Non-Calc):	4 [2m]	Q6 (Equation of a Circle, Non-Calc):	$9^2 + (-12)^2 = 81 + 144 = 225$ [2m]
Q7 (Algebraic Proof, Non-Calc):	$24n$ (multiple of 24) [2m]	Q8 (Probability Equations, Non-Calc):	7 [2m]
Q9 (Gradients & Rates, Non-Calc):	6 [2m]	Q10 (Vector Proofs, Non-Calc):	1:2 [4m]
Q11 (Algebraic Proof, Non-Calc):	$8n^2 + 16n + 10 = 8(n^2 + 2n + 1) + 2$ [2m]	Q12 (Probability Equations, Non-Calc):	4 [3m]
Q13 (Gradients & Rates, Non-Calc):	34 [3m]	Q14 (Equation of a Circle, Non-Calc):	$y = \frac{3}{4}x + \frac{25}{2}$ [4m]
Q15 (Vector Proofs, Non-Calc):	8b [5m]		

Mixed Review 2 — Choosing the Right Method (Calculator) — Answers & Topic Guide

Q1 (Equation of a Circle, Calc):	19 [1m]	Q2 (Probability Equations, Calc):	20 [3m]
Q3 (Gradients & Rates, Calc):	7 [2m]	Q4 (Algebraic Proof, Calc):	$n^2 + 2n + 1 = (n + 1)^2$ [2m]
Q5 (Vector Proofs, Calc):	$10a + 4b$ [4m]	Q6 (Equation of a Circle, Calc):	$y = \frac{5}{12}x + \frac{169}{12}$ [4m]
Q7 (Gradients & Rates, Calc):	105 [3m]	Q8 (Probability Equations, Calc):	8 [3m]
Q9 (Algebraic Proof, Calc):	$100n$ (multiple of 100) [2m]	Q10 (Vector Proofs, Calc):	9b [5m]
Q11 (Gradients & Rates, Calc):	116 [3m]	Q12 (Algebraic Proof, Calc):	$8n^2 + 24n + 20 = 4(2n^2 + 6n + 5)$ [2m]
Q13 (Equation of a Circle, Calc):	$y = \frac{15}{8}x - \frac{289}{8}$ [4m]	Q14 (Probability Equations, Calc):	9 [3m]
Q15 (Vector Proofs, Calc):	10b [5m]		